

Authors Index

Recl. Trav. Chim. Pays-Bas **110**, 560-562 (1991)

0165-0513/91/12560-03\$ 1.25

- Addink (R.), see: Mijs (W.J.)
 Akkerman (O.S.), see: Tinga (M.A.G.M.)
 Alderweireldt (F.C.), see: Gorrebeeck (C.)
 Alfermann (A.W.), see: Pabsch (K.)
 Al-Talib (M.), see: Tashtoush (H.)
 Angad Gaur (H.), Review of ^1H - and ^{13}C NMR spectroscopy of (meth)acrylate (co)polymers, 553
 Asano (Y.), Kishino (K.), Yamada (A.) Hanamoto (S.) and Kondo (K.), Plasmid-based, D-aminopeptidase-catalysed synthesis of (*R*)-amino acids, 206
 Baart (J.), see: Cappon (J.J.)
 Banerjee (A.K.) and González (N.C.), Methods for angular alkoxycarbonylation in fused rings and its application to the synthesis of terpenoid compounds, 353
 Barakat (A.K.), see: Ebaid (A.R.)
 Barrault (J.), see: Ghazi (M.)
 Beek (T.A. van), see: Lankhorst (P.P.)
 Beindorff (C.), see: Laane (N.C.M.)
 Bekkum (H. van), see: Caldeira (M.M.)
 -, see also: Ebaid (A.R.)
 -, see also: Luijckx (G.C.A.)
 -, see also: Voogd (P.)
 Beulen (J.), see: Velden (G. van der)
 Bickelhaupt (F.), see: Tinga (M.A.G.M.)
 Boelens (R.), see: Kellenbach (E.R.)
 Boer (J.S.A.M. de) and Stam (C.H.), The influence substituents on the geometry of the cyclopropane ring. V. The molecular and crystal structure of 1-amino-1-methylcyclopropane, 317
 Boeren (S.), see: Rietjens (I.M.C.M.)
 Boersma (J.), see: Markies (B.A.)
 Bont (J.A.M. de), see: Sikkema (J.)
 Boogaart (J.E. van den), see: Dreef-Tromp (C.M.)
 Boom (J.H. van), see: Dreef-Tromp (C.M.)
 -, see also: Elie (C.J.J.)
 -, see also: Kellenbach (E.R.)
 -, see also: Noort (D.)
 -, see also: Quaedflieg (P.J.L.M.)
 -, see also: Roelen (H.C.P.F.)
 -, see also: Zuurmond (H.M.)
 Bos (J.C. van den), see: Vloon (W.J.)
 Boza (M.V.T.J.), see: Gebhard (R.)
 Brandsma (L.), Verkruijsse (H.D.) and Fossatelli (M.), A new synthetic methodology for 1,3-diyne, 131
 Brandt (K.), Grampel (J.C. van de), Meetsma (A.) and Jekel (A.P.), Controlled hydrolysis, an important side reaction in phosphazene chemistry, 27
 Breitgoff (D.), see: Elferink (V.H.M.)
 Broos (J.), Martin (M.-N.), Rouwenhorst (I.), Verboom (W.) and Reinhoudt (D.N.), Acceleration of enzyme-catalyzed reactions in organic solvents by crown ethers, 222
 Brounts (D.M.), see: Elie (C.J.J.)
 Broxterman (H.J.G.) and Liskamp (R.M.J.), Synthesis of serine analogues to be used as modified phospho acceptor sites in substrates of protein kinase C, 46
 Bruggink (A.), see: Leusen (F.J.J.)
 Bruins Slot (H.J.), see: Leusen (F.J.J.)
 Brussee (J.) and Gen (A. van der), Transimination. Conversion of nitriles into secondary amines in a one-pot reaction, 25
 -, see also: Smitskamp-Wilms (E.)
 Budzelaar (P.H.M.), Doorn (J.A. van) and Meijboom (N.), Reductive cleavage of the carbon-phosphorus bond with alkali metals. I. Cleavage of functionalised triphenylphosphines; formation of secondary and primary phosphines, 420
 Caldeira (M.M.), Wurtz (E.), Peters (J.A.) and Bekkum (H. van), Catalytic hydrogenation of D-xylitol-5-hexulosonic acid to gluconic and idonic acid, 111
 Cappon (J.J.), Baart (J.), Walle (G.A.M. van der), Raap (J.) and Lugtenburg (J.), Chemo-enzymatic synthesis of specifically stable-isotope labelled L-glutamic acid and 2-oxoglutaric acid, 158
 Cerfontain (H.), see: Stunnenberg (F.)
 Climent (M.J.), Corma (A.), García (H.), Iborra (S.) and Primo (J.), Hydride transfer reactions of benzylic alcohols catalyzed by acid faujasites, 275
 Corma (A.), see: Climent (M.J.)
 Cornelissen (J.P.), Reefman (D.), Haasnoot (J.G.), Spek (A.L.) and Reedijk (J.), Synthesis and structure of $[\text{Me}_4\text{N}][\text{Ni}(\text{dmise})_2]_2$, the first conductor based on the $\text{Ni}(\text{C}_3\text{S}_4\text{Se})_2$ system, 345
 Criton (M.), Dewynter (G.) and Montero (J.-L.), Regioselective synthesis of nucleopeptidic bioconjugates enzymatic catalysis with ultrasonic irradiation, 433
 Cross (G.A.), see: Laane (N.C.M.)
 Dam (E.M.A. van), see: Dreef-Tromp (C.M.)
 Dewynter (G.), see: Criton (M.)
 Dijk (J.T.M. van), see: Gebhard (R.)
 Doddema (H.J.), see: Snijder-Lambers (A.M.)
 Doelwilt (A.), see: Voogd (P.)
 Dommissie (R.A.), see: Gorrebeeck (C.)
 Doorn (J.A. van), see: Budzelaar (P.H.M.)
 -, Frijns (J.H.G.) and Meijboom (N.), Reductive cleavage of the carbon-phosphorus bond with alkali metals. II. Cleavage of mixed functionalized triarylphosphines; Birch reduction of arylphosphines, 441
 Doyle (M.P.), Chiral catalysts for enantioselective carbenoid cyclopropanation reactions, 305
 Dreef (C.E.), see: Elie (C.J.J.)
 Dreef-Tromp (C.M.), Dam (E.M.A. van), Elst (H. van den), Boogaart (J.E. van den), Marel (G.A. van der) and Boom (J.H. van), Solid-phase synthesis of RNA via a silyl-protecting-group strategy, 378
 Duine (J.A.), see: Jongejan (J.A.)
 -, see also: Tol (J.B.A. van)
 Dusek (K.), Polymer networks: formation and structure, 507
 Duynhoven (J.P.M. van), see: Swinkels (D.W.)
 Ebaid (A.R.), Barakat (A.K.), Khalifa (N.A.), Kandil (A.T.), Maesen (Th.L.M.) and Bekkum (H. van), Cation exchange in the system Ca^{II} or Mg^{II} + complexing-agent + zeolite-NaA: equilibria in water-ethanol, 374
 Eerden (J. van), see: Kelderman (E.)
 Elferink (V.H.M.), Breitgoff (D.), Kloosterman (M.), Kamphuis (J.), Tweel (W.J.J. van den) and Meijer (E.M.), Industrial developments in biocatalysis, 63
 Elie (C.J.J.), Dreef (C.E.), Brounts (D.M.), Marel (G.A. van der) and Boom (J.H. van), An approach toward the synthesis of racemic *myo*-inositol 1-([S] 3,4-di-palmitoyloxybutyl)-sulfonate, 92
 Elst (H. van den), see: Dreef-Tromp (C.M.)
 -, see also: Kellenbach (E.R.)
 -, see also: Roelen (H.C.P.F.)
 Engberts (J.B.F.N.), see: Yang (Y.J.)
 Feringa (B.L.), see: Gelling (O.J.)
 Fokkens (R.), see: Koek (J.H.)
 Fossatelli (M.), see: Brandsma (L.)
 Franssen (M.C.R.), see: Naeff (H.S.D.)
 Fraser-Reid (B.), see: Konradsson (P.)
 Frijns (J.H.G.), see: Doorn (J.A. van)
 Fu (H.), Shen (G.-J.) and Wong (C.-H.), Asymmetric epoxidation of allyl alcohol derivatives by ω -hydroxylases from *Pseudomonas oleovorans*, 167
 Gács-Baitz (E.), see: Moldvai (I.)
 García (H.), see: Climent (M.J.)
 Gastel (F.J.C. van), Klunder (A.J.H.) and Zwanenburg (B.), Enzymatic optical resolution of norbornanecarboxylic esters using Pig Liver Esterase, 175
 Gebhard (R.), Dijk (J.T.M. van), Boza (M.V.T.J.), Hoef (K. van der) and Lugtenburg (J.), Synthesis and spectroscopic properties of 14-, 15-, 15'- and 14'-monodeutero- and 15,15'-dideuterosperoidenes, 332
 -, Dijk (J.T.M. van), Ouwerkerk (E.), Boza (M.V.T.J.) and Lugtenburg (J.), Synthesis and spectroscopy of chemically modified speroidenes, 459
 Geenevasen (J.A.J.), see: Stunnenberg (F.)
 Geerlof (A.), see: Jongejan (J.A.)
 -, see also: Tol (J.B.A. van)
 Gelling (O.J.) and Feringa (B.L.), Oxidative debromination in a binuclear copper (I) complex, 89
 Gen (A. van der), see: Brussee (J.)
 -, see also: Noort (D.)
 -, see also: Smitskamp-Wilms (E.)
 Ghazi (M.), Barrault (J.) and Ménéz (J.C.), CO_2 hydrogenation into methanol on supported nickel-molybdenum catalysts, 19
 Ghisalba (O.), Lattmann (R.) and Gyax (D.), Enzymatic preparation of arylglycerols of high optical purity, 263
 Giumanini (A.G.), see: Strazzolini (P.)
 González (N.C.), see: Banerjee (A.K.)
 Gorrebeeck (C.), Spanoghe (M.), Lanens (D.), Lemire (G.L.), Dommissie (R.A.), Lepoivre (J.A.) and Alderweireldt (F.C.), Permeability studies on horse liver alcohol dehydrogenase (HLAD) in polyacrylamide gel beads, 231
 Grampel (J.C. van de), see: Brandt (K.)
 Greenhill (J.V.), see: Katritzky
 Groeneveld (M.K.), see: Tinga (M.A.G.M.)
 Gu (L.), see: Liu (B.)
 Gyax (D.), see: Ghisalba (O.)
 Haase (K.D.), see: Laane (N.C.M.)
 Haasnoot (C.A.G.), see: Lankhorst (P.P.)
 Haasnoot (J.G.), see: Cornelissen
 Haest (A.D. van der), see: Leusen (F.J.J.)
 Hanamoto (S.), see: Asano (Y.)
 Hemker (H.C.), see: Rijkers (D.T.)
 Hergenrother (P.M.), New developments in thermally stable polymers, 481
 Heymann (D.), see: Verhoeven (J.W.)
 Hielkema (W.), see: Stunnenberg (F.)
 Hilbers (C.W.), see: Swinkels (D.W.)
 Hilhorst (R.), see: Verhaert (R.M.D.)
 Hoef (K. van der), see: Gebhard (R.)
 -, see also: Koek (J.H.)
 Hough (L.), McCarthy (K.C.) and Richardson (A.C.), The preparation and reactions of 2-halogenoethyl β -L-arabinopyranosides, 450
 Iborra (S.), see: Climent (M.J.)
 Janssen (M.D.), see: Markies (B.A.)
 Jekel (A.P.), see: Brandt (K.)

- Jenneskens (L.W.), see: Wiersum (U.E.)
- Jongejan (J.A.), Tol (J.B.A. van), Geerloff (A.) and Duine (J.A.), Enantioselective enzymatic catalysis. 1. A novel method to determine the enantiomeric ratio, 247
- , see also: Tol (J.B.A. van)
- Kamer (P.C.J.), see: Roelen (H.C.P.F.)
- Kamerling (J.P.), see: Ruiz Contreras (R.)
- Kamphuis (J.), see: Elferink (V.H.M.)
- Kandil (A.T.), see: Ebaid (A.R.)
- Kaptein (R.), see: Kellenbach (E.R.)
- Kaspersen (F.M.), see: Ostaszewski (R.)
- Kataoka (M.), Shimizu (S.) and Yamada (H.), Stereospecific conversion of a racemic pantoyl lactone to D-(-)-pantoyl lactone through microbial oxidation and reduction reactions, 155
- Katritzky (A.R.), Kuzmierkiewicz (W.) and Greenhill (J.V.), An improved method for the N-alkylation of benzotriazole and 1,2,4-triazole, 369
- Keegstra (M.A.) and Brandsma (L.), The first successful copper(I)-catalysed alkoxydehalogenation of non-activated aryl chlorides, 299
- Keijzer (H. de), see: Velden (G. van der)
- Kelchtermans (M.), see: Randall (J.C.)
- Kelderman (E.), Noorlander-Bunt (H.G.), Eerden (J. van), Verboom (W.) and Reinhoudt (D.N.), Stereochemical aspects of the "tert-amino effect". Controlled cycloreversion of pyrrolo[1,2-a]quinoline derivatives and enantioselective introduction of two new optically active centers, 115
- Kellenbach (E.R.), Elst (H. van den), Boelens (R.), Marel (G.A. van der), Boom (J.H. van) and Kaptein (R.), A convenient synthesis of DNA fragments nitrogen-15 labeled at the exocyclic cytosine amino group, 387
- Khalifa (N.A.), see: Ebaid (A.R.)
- Kieboom (A.P.G.), see: Wit (D. de)
- Kishino (K.), see: Asano (Y.)
- Klerk-Engels (B. de), see: Modder (J.F.)
- Kloosterman (J.), see: Laane (N.C.M.)
- Kloosterman (M.), see: Elferink (V.H.M.)
- Klunder (A.J.H.), see: Gastel (F.J.C. van)
- Koek (J.H.), Hoef (K. van der), Fokkens (R.), Roodenburg (L.) and Lugtenburg (J.), Synthesis and properties of two pyromethenium salts; one with a rigid Z-syn structure and another with a rigid E-anti structure, 41
- Koerts (J.), see: Rietjens (I.M.C.M.)
- Kondo (K.), see: Asano (Y.)
- Konradsson (P.), Roberts (C.) and Fraser-Reid (B.), Conditions for modified Fischer glycosidations with n-pentenol and other alcohols, 23
- Koomen (G.-J.), see: Vloon (W.J.)
- Kooreman (H.J.), see: Mutsaers (J.H.G.M.)
- Koten (G. van), see: Markies (B.A.)
- , see also: Modder (J.F.)
- Kuyl-Yeheskiely (E.), see: Quaedflieg (P.J.L.M.)
- Kuzmierkiewicz (W.), see: Katritzky (A.R.)
- Laane (N.C.M.), Cross (G.A.), Beindorff (C.), Haase (K.D.) and Kloosterman (J.), (Bio)dimerisation of unsaturated fatty acids, 195
- Lanens (D.), see: Gorrebeek (C.)
- Lankhorst (P.P.), Beek (T.A. van) and Haasnoot (A.G.), Conformational analysis of longicyclene: a 600 MHz ¹H-NMR and molecular mechanics study, 470
- Lattmann (R.), see: Ghisalba (O.)
- Lemière (G.L.), see: Gorrebeek (C.)
- Lepoivre (J.A.), see: Gorrebeek (C.)
- Leusen (A.M. van), see: Leusen (D. van)
- Leusen (D. van) and Leusen (A.M. van), Synthesis of 17-(isocyanotosyl-methylene) steroids: precursors to pregnane derivatives, 393
- , and Leusen (A.M. van), Studies on the conversion of 3,3-dimethyl-2-butanone into geminal isocyanato tosyl alkenes, 402
- Leusen (F.J.J.), Bruins Slot (H.J.), Noordik (J.H.), Haest (A.D. van der), Wynberg (H.) and Bruggink (A.), Towards a rational design of resolving agents. Part III. Structural study of two pairs of diastereomeric salts of ephedrine and a cyclic phosphoric acid, 13
- Lie (T.S.), see: Woudenberg (R.H.)
- Liskamp (R.M.J.), see: Broxterman (H.J.G.)
- Liu (B.), Gu (L.) and Zhang (J.), Synthesis of vitamin-K derivatives with different lengths of the alkyl side chain, 99
- , Gu (L.) and Zhang (J.), Synthesis of plastoquinone derivatives with different structures of the side chain, 104
- Louw (R.), see: Meurs (M. van)
- Lugtenburg (J.), see: Cappon (J.J.)
- , see also: Gebhard (R.)
- , see also: Koek (J.H.)
- Luijkx (G.C.A.), Rantwijk (F. van) and Bekkum (H. van), Formation of 1,2,4-benzenetriol by hydrothermal treatment of carbohydrates, 343
- Luinstra (G.A.) and Teuben (J.H.), Oxidative methylation of (η⁵-C₅Me₅)₂TiX (X = Cl, OMe, Me) with group 12 dimethyl complexes to diamagnetic (η⁵-C₅Me₅)₂TiX(Me), 57
- Maat (L.), see: Wit (D. de)
- , see also: Woudenberg (R.H.)
- Maesen (Th.L.M.), see: Ebaid (A.R.)
- Marel (G.A. van der), see: Dreef-Tromp (C.M.)
- , see also: Elie (C.J.J.)
- , see also: Kellenbach (E.R.)
- , see also: Noort (D.)
- , see also: Quaedflieg (P.J.L.M.)
- , see also: Roelen (H.C.P.F.)
- , see also: Zuurmond (H.M.)
- Markies (B.A.), Canty (A.J.), Janssen (M.D.), Spek (A.L.), Boersma (J.) and Koten (G. van), Selectivity in reductive elimination from dialkyl(aryl)palladium(IV) complexes, and the observation of benzyl halide transfer from palladium(IV) to palladium(II). The X-ray structure of methyl(phenyl)(2,2'-bipyridyl)palladium(II), 477
- , Wijkens (P.), Boersma (J.), Spek (A.L.) and Koten (G. van), Reversible carbonylation of cationic palladium 2,6-bis[(dimethylamino)methyl]pyridine complexes: the first X-ray structure of a cationic aroyl-palladium complex, 133
- Martin (M.-N.), see: Broos (J.)
- McCarthy (K.C.), see: Hough (L.)
- Meetsma (A.), see: Brandt (K.)
- Meijboom (N.), see: Budzelaar (P.H.M.)
- , see also: Doorn (J.A. van)
- Meijer (E.M.), see: Elferink (V.H.M.)
- Ménézo (J.C.), see: Ghazi (M.)
- Meurs (M. van), Arends (I.W.C.E.), Louw (R.) and Mulder (P.), Gas-phase pyrolysis of coumaran and 2,3-dimethylcoumaran, 475
- Mijs (W.J.) and Addink (R.), Recent developments in polymer synthesis, 526
- Mitsuda (S.) and Nabeshima (S.), Enzymatic optical resolution of a synthetic pyrethroid alcohol. Enantioselective transesterification by lipase in organic solvent, 151
- Modder (J.F.), Klerk-Engels (B. de), Ankersmit (H.A.), Vrieze (K.) and Koten (G. van), Facile formation of amide bonds between fragments containing unmasked imidazole-ring systems, Synthesis of N-[N-[[[(5-methyl-4-imidazolyl)methyl]-thio]acetyl]-L-methionyl]histamine, 279
- Moldvai (I), Gács-Baitz (E.) and Szántay (C.), Chemistry of indoles carrying basic functions. I. Transformation of hydroxyindolones into indoles, 437
- Montero (J.-L.), see: Criton (M.)
- Mulder (G.J.), see: Noort (D.)
- Mulder (P.), see: Meurs (M. van)
- Mutsaers (J.H.G.M.) and Kooreman (H.J.), Preparation of optically pure 2-aryl- and 2-aryloxy-propionates by selective enzymatic hydrolysis, 185
- Nabeshima (S.), see: Mitsuda (S.)
- Naeff (H.S.D.), Franssen (M.C.R.) and Plas (H.C. van der), Quantitative structure-activity relationship (QSAR) studies of the inhibition of xanthine oxidase by heterocyclic compounds, 139
- Nefkens (G.H.L.), see: Rijkers (D.T.)
- Nijenhuis (W.F.), Walhof (J.J.B.), Sudhiter (E.J.R.) and Reinhoudt (D.N.), Lipophilic diaza crown ethers in supported liquid membranes; influence of pH on transport rates and membrane stability, 265
- Noordik (J.H.), see: Leusen (F.J.J.)
- Noorlander-Bunt (H.G.), see: Kelderman (E.)
- Noort (D.), Marel (G.A. van der), Gen (A. van der), Mulder (G.J.) and Boom (J.H. van), Synthesis of potential UDP-glucuronosyltransferase inhibitors containing a diphosphate function, 53
- Ostaszewski (R.), Stevens (T.W.), Verboom (W.), Reinhoudt (D.N.) and Kaspersen (F.M.), Calix (aza-)crowns as potential ionophores for divalent and trivalent cations, 294
- Ouwkerk (E. van), see: Gebhard (R.)
- Pabsch (K.), Petersen (M.), Rao (N.N.), Alfermann (A.W.) and Wandrey (C.), Chemo-enzymatic synthesis of rosmarinic acid, 199
- Pandit (U.K.), see: Vloon (W.J.)
- Peters (J.A.), see: Caldeira (M.M.)
- Petersen (M.), see: Pabsch (K.)
- Piet (D.P.), see: Woudenberg (R.H.)
- Plas (H.C. van der), see: Naeff (H.S.D.)
- Poiana (M.), see: Strazzolini (P.)
- Primo (J.), see: Climent (M.J.)
- Quaedflieg (P.J.L.M.), Marel (G.A. van der), Kuyl-Yeheskiely (E.) and Boom (J.H. van), Synthesis of (3'-5')methylene acetal linked dinucleosides containing cytosine bases, 435
- Raap (J.), see: Cappon (J.J.)
- Randall (J.C.), Ruff (C.J.) and Kelchtermans (M.), ¹³C NMR microstructure determinations of low-density polyethylene homopolymers and copolymers, 543
- Rantwijk (F. van), see: Luijkx (G.C.A.)
- , see also: Wit (D. de)
- Rao (N.N.), see: Pabsch (K.)
- Reedijk (J.), see: Cornelissen (J.P.)
- Reefman (D.), see: Cornelissen (J.P.)
- Reinhoudt (D.N.), see: Broos (J.)
- , see also: Kelderman (E.)
- , see also: Nijenhuis (W.F.)
- , see also: Ostaszewski (R.)
- Richardson (A.C.), see: Hough (L.)
- Rietjens (I.M.C.M.), Koerts (J.), Boeren (S.) and Vervoort (J.), Biosynthesis and chemical determination of polyfluoro-4-hydroxyanilines, 216
- Rijkers (D.T.), Hemker (H.C.), Nefkens (G.H.L.) and Tesser (G.I.), The use of phosphorus oxychloride in the synthesis of acid p-nitroanilides, 347
- Roberts (C.), see: Konradsson (P.)
- Roelen (H.C.P.F.), Kamer (P.C.J.), Elst (H. van den), Marel (G.A. van der) and Boom (J.H. van), A study on the use of phenylacetyl disulfide in the solid-phase synthesis of oligodeoxynucleoside phosphorothioates, 325
- Roodenburg (L.), see: Koek (J.H.)
- Rouwenhorst (I.), see: Broos (J.)
- Ruff (C.J.), see: Randall (J.C.)
- Ruiz Contreras (R.), Kamerling (J.P.) and Vliegthart (J.F.G.), ¹H- and ¹³C-NMR spectroscopy of synthetic monosulfated methyl α-D-mannopyranosides, 85
- Scharrenburg (G.J.M. van), see: Smitskamp-Wilms (E.)
- Scherer (T.), Willemse (R.J.) and Verhoeven (J.W.), Comparison of flexibly and rigidly bridged donor-acceptor systems; solvent induced switching between folded and extended emissive charge-transfer states, 95
- , see also: Verhoeven (J.W.)
- Schneider (M.P.), see: Seemayer (R.)
- Schotman (A.H.M.), Mechanism of the reaction of carbodiimides with carboxylic acids, 319
- Seemayer (R.) and Schneider (M.P.), Enzymatic hydrolysis and esterification. Routes to optically pure cyclopentanols, 171
- Shen (G.-J.), see: Fu (H.)
- Shimizu (S.), see: Kataoka (M.)
- Sikkema (J.) and Bont (J.A.M. de), Biocatalytic production of hydroxylated aromatic and alicyclic compounds: products derived from tetralin, 189
- Sinnema (A.), see: Woudenberg (R.H.)
- Sloothaak (J.B.), see: Smitskamp-Wilms (E.)
- Smeets (W.J.J.), see: Tinga (M.A.G.M.)
- Smitskamp-Wilms (E.), Brussee (J.), Gen (A. van der), Scharrenburg (G.J.M.)

- van) and Sloothaak (J.B.), Hydroxynitrile lyases from almond and sorghum as biocatalyst, 209
- Snijder-Lambers (A.M.), Vulfson (E.N.) and Doddema (H.J.), Optimization of alcohol dehydrogenase activity and NAD(H) regeneration in organic solvents, 226
- Sollie (J.C.), see: Voogd (P.)
- Spanoghe (M.), see: Gorrebeeck (C.)
- Spek (A.L.), see: Cornelissen (J.P.)
- , see also: Markies (B.A.)
- , see also: Tinga (M.A.G.M.)
- Stam (C.H.), see: Boer (J.S.A.M. de)
- Staring (E.G.J.), Non-linear optical and electro-optical polymers, 492
- Stevens (T.W.), see: Ostaszewski (R.)
- Strazzolini (P.), Giumanini (A.G.) and Verardo (G.), Nucleophilic substitution in diphenylmethyl derivatives. I. Formolysis of diarylmethyl derivatives: an α -substituent effect, 5
- , Poiana (M.), Verardo (G.) and Giumanini (A.G.), Nucleophilic substitution in diphenylmethyl derivatives. II. Methanolysis of α substituents of diphenylacetic acid and its derivatives, 283
- Stunnenberg (F.), Cerfontain (H.) and Terpstra (A.), He I and He II photoelectron spectra and semi-empirical calculations on the three geometric isomers of 3,3,4,4-tetramethyl-1,2-bis(methoxyimino)cyclobutane, 1
- , Cerfontain (H.), Geenevasen (J.A.J.) and Hielkema (W.), Photochemistry and spectroscopy of three α -oxo oxime ethers: 4-(methoxyimino)-2,2,3,3-tetramethylcyclobutanone, 3,3,5-trimethyl-4(5*H*)-isoxazolone and 6-(benzyloxyimino)-2,2,5,5-tetramethylcyclohexanone, 31
- Sudhölter (E.J.R.), see: Nijenhuis (W.F.)
- Swinkels (D.W.), Duynhoven (J.P.M. van), Hilbers (C.W.) and Tesser (G.I.), Improved synthesis and application of lanthanide 1,4,7,10-tetrakis(phosphonomethyl)-1,4,7,10-tetraazacyclododecane complexes LN(DOTP), 124
- Szántay (C.), see: Moldvai (I.)
- Tashtoush (H.) and Al-Talib (M.), Acylium salts: synthesis of tris(3,4,5,6-tetrahydro-1,3,5-triazinium) and tris(1,3,5-oxadiazinium) salts, 75
- Terpstra (A.), see: Stunnenberg (F.)
- Tesser (G.I.), see: Rijkers (D.T.)
- , see also: Swinkels (D.W.)
- Teuben (J.H.), see: Luinstra (G.A.)
- Tinga (M.A.G.M.), Groeneveld (M.K.), Akkerman (O.S.), Bickelhaupt (F.), Smeets (W.J.J.) and Spek (A.L.), Formation of a distibacyclooctane; X-ray crystal structure of 1,5-dichloro-1,3,3,5,7,7-hexamethyl-9-oxa-1,5-distibabicyclo[3.3.1]nonane hydrochloride, 290
- Tol (J.B.A. van), Jongejan (J.A.), Geerlof (A.) and Duine (J.A.), Enantioselective enzymatic catalysis. 2. Applicability of methods for enantiomeric ratio determinations, 255
- Tweel (W.J.J. van den), see: Elferink (V.H.M.)
- Velden (G. van der), Beulen (J.) and Keijzer (H. de), Review of ^1H - and ^{13}C -NMR data on homo-, co- and terpolyamides in solution, 516
- Verardo (G.), see: Strazzolini (P.)
- Verboom (W.), see: Broos (J.)
- , see also: Kelderman (E.)
- , see also: Ostaszewski (R.)
- Verhaert (R.M.D.) and Hilhorst (R.), Enzymes in reversed micelles: 4. Theoretical analysis of a one-substrate/one-product conversion and suggestions for efficient application, 236
- Verhoeven (J.W.), Scherer (T.) and Heymann (D.), Fluorescence of and photoinduced electron injection into the C_{70} fullerene chromophore, 349
- , see also: Scherer (T.)
- Verkruijse (H.D.), see: Brandsma (L.)
- Vervoort (J.), see: Rietjens (I.M.C.M.)
- Vliegthart (J.F.G.), see: Ruiz Contreras (R.)
- Vloon (W.J.), Bos (J.C. van den), Willard (N.P.), Koomen (G.-J.) and Pandit (U.K.), An alternative synthesis of (+)-sesbanimide A, 414
- Voogd (P.), Sollie (J.C.), Doelwijt (A.) and Bekkum (H. van), Shape effects in the conversion of ethanol to hydrocarbons over alkaline-free synthesised ZSM-5 and aluminated silicate-1 crystals, 78
- Vrieze (K.), see: Modder (J.F.)
- Vulfson (E.N.), see: Snijder-Lambers (A.M.)
- Walhof (J.J.B.), see: Nijenhuis (W.F.)
- Walle (G.A.M. van der), see: Cappon (J.J.)
- Wandrey (C.), see: Pabsch (K.)
- Wiersum (U.E.) and Jenneskens (L.W.), Formation of pentafulvene in flash vacuum thermolysis of 5-[7-(2-norbornenylidene)] Meldrum's acid over bituminous carbon: evidence for cyclopentadienylidene carbene, 129
- Wijkens (P.), see: Markies (B.A.)
- Willard (N.P.), see: Vloon (W.J.)
- Willemse (R.J.), see: Scherer (T.)
- Wit (D. de), Rantwijk (F. van), Maat (L.) and Kieboom (A.P.G.), Conversion of D-ribo-3-hexosulose into D-ribulose and DD-erythronic acid in aqueous medium, 271
- Wong (C.-H.), see: Fu (H.)
- Woudenberg (R.H.), Piet (D.P.), Sinnema (A.), Lie (T.S.) and Maat (L.), Synthesis of 5 β -methyl-6-demethoxythebaine and its Diels-Alder reaction to 6 α ,14 α -ethenoisomorphinans and 6 β ,14 β -ethenomorphinans, 405
- Wurtz (E.), see: Caldeira (M.M.)
- Wynberg (H.), see: Leusen (F.J.J.)
- Yamada (A.), see: Asano (Y.)
- Yamada (H.), see: Kataoka (M.)
- Yang (Y.J.) and Engberts (J.B.F.N.), Fluorescence spectroscopic study of the formation of hydrophobic microdomains in aqueous solutions of poly(alkyl-methyldiallylammonium bromides), 384
- Zhang (J.), see: Liu (B.)
- Zuurmond (H.M.), Marel (G.A. van der) and Boom (J.H. van), Iodonium ion-promoted glycosidation of sugar 1,2-thio-orthoesters, 301
- Zwanenburg (B.), see: Gastel (F.J.C. van)

Subject Index

Recl. Trav. Chim. Pays-Bas 110, 563-567 (1991)

0165-0513/91/12563-05\$ 1.75

- ab initio*, see quantum chemistry
acetoxydiphenylacetic acid, methanolysis, 283
acrylate, (co)polymers, NMR (review), 553
acrylonitrile, ethylene copolymer, ^{13}C NMR (review), 543
activated polycondensation, (review), 526
activation parameters, carbodiimides with carboxylic acids, 319
acylglycerols, enzymatic synthesis, 263
acylium salts, 75
acylureas, from carbodiimides with carboxylic acids, 319
adenosine, enzymatic acylation, 433
(R)-alanine, from plasmid and D-aminopeptidase, 206
alcohol dehydration, benzylic alcohols, 275
alcohol dehydrogenase, optimization of activity, 227; permeability in polyacrylamide, 231
alcohols, oxidn. to aldehydes, catalyzed by alcohol dehydrogenase, 227
aldehydes, for chiral α -hydroxy nitriles, 209; redn. to alcohols, catalyzed by alcohol dehydrogenase, 227
alkaloids, thebaine deriv., 405
alkoxycarbonylation, (review), 353
alkoxydechlorination, aryl chlorides, 299
N alkylation, benzotriazole and 1,2,4-triazole, 369
allyl alcohols, epoxidation by ω -hydroxylase, 167
(allylammonium bromides), **poly-**, hydrophobic microdomains, fluorescence, 384
almond, hydroxynitrile lyases, 209
aluminated silicalite-1, catalyst for ethanol to hydrocarbons, 78
aluminum oxide, support for hydrogenation of carbon dioxide, 19
amide bond formation, between imidazole rings, 279
sec-amines, from nitriles, 25
amino acid 4-nitroanilides, from POCl_3 , 347
(R)-amino acids, from plasmid and D-aminopeptidase, 206
amino acids, in industrial biocatalysis (review), 63
tert-amino effect, see *tert-amino effect*
1-amino-1-methylcyclopropane, crystal structure, 317
D-aminopeptidase, catalyst for (R)-amino acids synthesis, 206
angular alkoxycarbonylation, (review), 353
aniline chromophore, in donor-acceptor systems, 95
anilines, polyfluoro-4-hydroxy, biosynthesis, 216
anionic polymerization, NMR (review), 526
annulation, angular alkoxycarbonylation (review), 353
antiinflammatory drugs, naproxen, ibuprofen, flurbiprofen: enzymatic synthesis, 185
antimony, organo-, 9-oxa-1,5-distibabicyclo[3.3.1]nonane, crystal structure, 290
 β -L-arabinopyranosides, 2-halogenoethyl, 450
aromatic substitution, electrophilic -, (book), 59
aromatization, ethanol to hydrocarbons, 78
aryl chlorides, alkoxydechlorination, 299
arylene ethers (PAE), **poly-**, thermally stable polymers (review), 481
arylsulfatase, polyfluoro-4-hydroxyanilines, biosynthesis, 216
L-ascorbic acid, from idonic acid, 111
aspartic acid, by angular alkoxycarbonylation (review), 353
asymmetric reactions, see chirality; see also biocatalysis, issue 5 (1991), pages 139-264
aza crown ethers, calix -, cation ionophores, 294
bacterial hydroxylation, tetralin, 189
Beilstein online database, (book), 391
benzeneacetonitrile, **chiral** (α -silyloxy)-, for chiral *sec*-amines, 25
1,3-benzenedicarbaldehyde, from debromohydroxylation of binuclear Cu complex, 89
1,2,4-benzenetriol, from carbohydrates, 343
benzocyclobutenes, **poly-**, thermally stable polymers (review), 481
benzodipyrrole, 41
benzofuran, 2,3-dihydro-, thermochemistry, 475
1,4-benzoquinone, for plastoquinone derivs., 104
benzotriazole, N alkylation, 369
benzoylglycerols, enzymatic synthesis, 263
benzoylpalladium, complex, 133
benzyl halide transfer, in reductive elimination from Pd(IV) to Pd(II), 477
benzylic alcohols, hydride transfer, 275
benzyne, flash vacuum thermolysis, 129
bicyclic dioxanes, from β -L-arabinopyranosides, 2-halogenoethyl, 450
bicyclic morpholines, from β -L-arabinopyranosides, 2-halogenoethyl, 450
bicyclo[2.2.1]cycloheptane-2-carboxylic esters, enzymatic resolution, 175
biocatalysis, see issue 5 (1991), pages 139-264; industrial - (review), 63
biodimerization, unsaturated fatty acids, 195
Birch reduction, triarylphosphines, 441
1,2-bis(methoxyimino)cyclobutanes, He I and He II photoelectron spectra, 1
bituminous carbon, flash vacuum thermolysis on -, 129
blends, polyamides, NMR (review), 516
blue copper protein, pyrazole coordination chemistry (thesis), 480
book reviews, angular alkoxycarbonylation, 353; Beilstein online database, 391; calixarenes, 390; chemical property estimation, 61; colloidal systems, 389; computer graphics and chemical structure, 136; computer-assisted organic synthesis (CAOS), 304; conjugated cyclic compounds, 304; crown ethers, 60; databases of chemical structures, 136; double-bonded functional groups, 352; electrochemistry, synthetic organic, 303; electrophilic aromatic substitution, 59; enols, 389; fluorine in bioorganic chemistry, 391; group theory, chemical application, 97; isoquinolines, 351; metal clusters, 98; metal-carbon bond chem., 97; molecular crystals, 136; natural products. Vol. 4: stereoselective synthesis, 29; nitro compounds, 60; olefin catalysts, 390; organic synthesis. Vol. 67, 29; pyrroles, 351; Rodd's chemistry of carbon compounds, IV heterocyclic compounds, 59; stereochemistry, conformation, mechanism, 352; surface chemistry, 137; transformations in functional-group preparations, 61; transition metals in synthesis, 137
branching, polyamides (review), 516; polyethylene, ^{13}C NMR (review), 543; polymer networks (review), 507
bridges, inorganic anions in transition metal compounds (thesis), 62
butanenitrile, 2,3,3-trimethyl-, 402
2-butanone, 3,3-dimethyl-, for geminal isocyano tolylsulfonyl alkenes, 402
1,3-butenyne, 1-(ethylthio)-, for 1,3-diynes, 131
butyllithium, for morphinandienes, 405
 C_{70} , fullerene charge-transfer complexes, 349
caffeic acid imidazolide, for CoA activation, 199
calcium, cation exchange with zeolite NaA, 374
calculation, on 1,2-bis(methoxyimino)cyclobutanes, 1; on longicyclene, conformation, 470; on phenylphosphines, 420
calixarenes, (book), 390
CAOS, computer-assisted organic synthesis (book), 304
carbenoid cyclopropanation, chiral catalysis (review), 304
carbodiimides, with carboxylic acids, 319; for 1,3,5-oxadiazinium salts, 75
carbohydrates, β -L-arabinopyranosides, 2-halogenoethyl, 450; 1,2,4-benzenetriol from D-fructose, 343; in industrial biocatalysis (review), 63; D-ribose-hexosulose into D-ribulose and D-erythronic acid, 271; D-xylo-5-hexulosonic acid hydrogenation, 111; α -D-mannopyranosides, NMR, 85; 4-pentenyl glycosides, 23; 1,2-thio ortho sugar esters, glycosidation by iodonium, 301; D-(+)-xylose for (+)-sesbanimide A, 414
carbon dioxide, hydrogenation, 19
carbon, **bituminous** -, flash vacuum thermolysis on -, 129
carbon-13 labeling, glutamic acid, 159; 2-oxoglutaric acid, 159
carbonylation, Pd aryl complex, 133
carboxamides, Rh complex as catalyst in carbenoid cyclopropanation (review), 304
carboxylesterase NP, for 2-aryl- and 2-aryloxypropanoic acids, 185
carboxylic acids, with carbodiimides, 319
carcinostatic alkaloid, (+)-sesbanimide A, 414
carnosic dimethyl ether, by angular alkoxycarbonylation (review), 353
carotenoids, di- and tetrahydrospheroidenes, 459; spheroidenes, D-labeled, 332
carrier-mediated transport, in membranes via crown ethers, 265
catalysis, see also biocatalysis, issue 5 (1991), pages 139-264; Al_2O_3 and ZnO in hydrogenation of carbon dioxide, 19; Cu alkoxydechlorinating aryl chlorides, 299; industrial biocatalysis (review), 63; chiral Cu(I) and Rh(II) catalyzing carbenoid cyclopropanation (review), 304; α -chymotrypsin in transesterification, 222; clay in dimerization of unsaturated fatty acids, 195; enzymes in reversed micelles, 236; faujasites in hydride transfer of benzylic alcohols, 275; iodonium for dinucleotides contg. cytosine, 435; in olefin polymerization (book), 390; palladium boride in D-xylo-5-hexulosonic acid hydrogenation, 111; silicalite-1 in ethanol to hydrocarbons, 78; bacterial hydroxylation of tetralin, 189; $\text{TiCl}_3(\text{Oipr})$, in (+)-sesbanimide A synth., 414
cation exchange, Ca or Mg with zeolite NaA, 374
cation ionophores, calix crowns, 294
cationic polymerization, NMR (review), 526
cedrol, by angular alkoxycarbonylation (review), 353
cephalosporins, in industrial biocatalysis (review), 63
charge-transfer complexes, C_{70} fullerene, 349
chemical property estimation, (book), 61
chirality, see also biocatalysis, issue 5 (1991), pages 139-264; *sec*-amines, 25; 2-aryl- and 2-aryloxypropanoic acids, 185; carbenoid cyclopropanation (review), 304; cyclopentanols, 171; diastereoisomeric ephedrine and cyclic phosphoric salts, 13; enantiomeric ratio, detn., 247; 2,3-epoxypropyl ethers, 167; glutamic acid, labeled, 159; α -hydroxy nitriles, 209; norbornane-2-carboxylic esters, 175; pantoyl lactone, 155; pyrethroid alcohol, 151; pyrrolo[1,2-a]quinoline, 115
chlorobenzene, alkoxydechlorination, 299
chlorodiphenylacetic acid, formolysis, 5; methanolysis, 283
chrysolimidal, by angular alkoxycarbonylation (review), 353
 α -chymotrypsin, enzymatic transesterification, acceleration by crown ethers, 222
 δ -chymotrypsin, in reversed micelles, 236
cis-trans isomerization, see isomerization
clay, -catalysed dimerization of unsaturated fatty acids, 195
cleavage, P-C bond in triarylphosphines, 441; triphenylphosphines, 420
CLINAM, 13
CLINAP, 13
clusters, metal - (book), 98
CoA-caffeic acid, in enzymatic synthesis of rosmarinic acid, 199
cobalt, carbenoid cyclopropanation, chiral catalyst (review), 304
codeine, 5 β -methyl-, 405

- colloidal systems, (book), 389
COLOC, see correlation spectroscopy
compact-coil conformation, poly(diallylammonium bromides), 384
complexation, Ca or Mg cation exchange with zeolite NaA, 374; calix aza crown ethers, 294; in donor-acceptor systems, 95
computation, see calculation
computer graphics and chemical structure, (book), 136
computer-assisted organic synthesis (CAOS), (book), 304
conformation, (book), 352; in donor-acceptor systems, 95; longicyclene, 470; α -D-mannopyranosides, 85; (meth)acrylate (co)polymers, NMR (review), 553; poly(diallylammonium bromides), 384
conjugated cyclic compounds, (book), 304
controlled hydrolysis, phosphazenes, 27
coordination, pyrazole ligands (thesis), 480
copolyamides, NMR (review), 516
copper, alkoxydechlorination of aryl chlorides, catalyst, 299; blue Cu protein, pyrazole coordination chemistry (thesis), 480; carbenoid cyclopropanation, chiral catalyst (review), 304; debromohydroxylation of binuclear complex, catalyst, 89
correlation spectroscopy, longicyclene, via long-range couplings (COLOC), 470; longicyclene, homonuclear shifts (COSY), 470
COSY, see correlation spectroscopy
coumaran, thermochemistry, 475
cross-linking, polymer networks (review), 507
crown ethers, (book), 60; biocatalysis, acceleration, 222; calix crowns, cation ionophores, 294; lipophilic diaza crowns, in membrane transport, 265
crystal size, effect in catalysis of ethanol to hydrocarbons, 78
crystal structure, diastereoisomeric ephedrine and cyclic phosphoric salts, 13; dithiole-2-selenone-4,5-dithiolate, Ni complex, 345; 1-methylcyclopropanamine, 317; 9-oxa-1,5-distibabicyclo[3.3.1]nonane, 290; Pd 2,6-bis[(dimethylamino)methyl]pyridine 1-naphthoyl complexes, 133; PdMePh 2,2'-bipyridine, 477
crystals, molecular crystals (book), 136; non-linear and electro-optical polymers (review), 492
cyanamides, for 1,3,5-triazinium salts, 75
cyanation, geminal isocyanato tolylsulfonyl alkenes, 402
cyanohydrins, decompn. by hydroxynitrile lyases, 209
cyclic compounds, conjugated (book), 304
cyclic phosphoric acid, resolving agent, 13
cyclic polyamides, NMR (review), 516
cyclic transition state, polyethylene, ^{13}C NMR (review), 543
cyclitols, *myo*-inositol, 92
cycloaddition, see ring closure
cyclobutanes, 1,2-bis(methoxyimino)-, He I and He II photoelectron spectra, 1
cyclobutanone, 4-(methoxyimino)-, photochemistry, 31
cyclodextrins, in industrial biocatalysis (review), 63
cyclohexanone, 6-(benzyloxyimino)-, photochemistry, 31
cyclopentadienylidene carbene, exists!, flash vacuum thermolysis, 129
cyclopentadienyltitanium, oxidative methylation, 57
cyclopentanes, 1,2-bis(methoxyimino)-, He I and He II photoelectron spectra, 1
cyclopentanol, enzymatic synthesis, 171
cyclophanes, (thesis), 138
cyclopropanamine, geometry, substituent influence, crystal structure, 317
cyclopropanation, chiral catalysis (review), 304
cycloreversion, pyrrolo[1,2-*a*]quinoline, 115
cytosine, in dinucleotides, 435; ^{15}N -labeled in DNA, 387
databases, Beilstein online database (book), 391; chemical structures (book), 136
debromohydroxylation, binuclear Cu complex, 89
decalins, angular alkoxyacylation (review), 353
dehydration, benzylic alcohols, 275
dehydrogenase, alcohol-, permeability in polyacrylamide, 231; alcohol-, optimization of activity, 227; enzymatic synthesis of rosmarinic acid, 199; pantoyl lactone, optical resolution, 155
deoxynucleosides, oligo- phosphorothioates from phenylacetyl disulfide, 325
deoxynucleotides, solid-support synthesis, 387
deuterium labeling, spheroidenes, 332
diaza crown ethers, lipophilic-, in membrane transport, 265
diazo compounds, carbenoid cyclopropanation (review), 304
***N,N*-dibenzylglycine**, ethyl ester for serine analogs, 46
diclofop, enzymatic synthesis, 185
dicyclohexylcarbodiimide, in amide bond formation between imidazole rings, 279
Diels-Alder reaction, in angular alkoxyacylation (review), 353; thebaine deriv., 405
dimerization, bio-, unsaturated fatty acids, 195
dimethyl sulfoxide, glycosidation solvent, 23
dimethylformamide, solvent for N alkylation, 369
dimethylzinc, cyclopentadienyltitanium oxidative methylation, 57
dinucleotides, contg. cytosine, 435
1,3-dioxane-4,6-dione, 2,2-dimethyl-, see Meldrum's acid
1,3,2-dioxaphosphorinane 2-oxide, resolving agent, 13
dioxindoles, to indoles, 437
diphenylacetic acids, methanolysis of α -substituents, 283
diphenylcarbodiimide, with carboxylic acids, 319
diphenylmethanol, hydride transfer, 275
diphenylmethyls, nucleophilic substitution, 5
diphosphate, in inhibited UDP-glucuronosyltransferase, 53
dipyrrolopyrimidinium, 41
disarmed thioglycosides, 1,2-thio ortho sugar esters, glycosidation by iodonium, 301
1,5-distibacyclooctane, crystal structure, 290
disulfide, phenylacetyl-, for oligodeoxynucleoside phosphorothioates, 325
diterpene alkaloids, by angular alkoxyacylation (review), 353
1,3-dithiole-2-selenone-4,5-dithiolate, Ni complex, crystal structure, 345
1,3-diynes, 131
DNA, ^{15}N -labeled fragments, 387
1,3-dodecadiyne, 131
donor-acceptor, systems, 95
double-bonded functional groups, (book), 352
electro-optical polymers, (review), 492
electrochemistry, synthetic organic - (book), 303
electron injection, C_{70} fullerene, photo-induced, 349
electron transfer, long-range - in donor-acceptor systems, 95
electronic structure, 1,2-bis(methoxyimino)cyclobutanes, 1
electrophilic aromatic substitution, (book), 59
enantiomeric excess, see chirality
enantiomeric ratio, detn. in enzymatic synthesis, 247; enzymatic synthesis, 255
enantioselectivity, see also chirality; see also biocatalysis, issue 5 (1991), pages 139-264; pyrrolo[1,2-*a*]quinoline, 115
enols, (book), 389
enzymatic synthesis, see also chirality; see also biocatalysis, issue 5 (1991), pages 139-264; acylglycerols, 263; (*R*)-amino acids, 206; 2-aryl- and 2-aryloxypropanoic acids, 185; cyclopentanol, 171; enantiomeric ratio, 247, 255; 2,3-epoxypropyl ethers, 167; glutamic acid, labeled, 159; norbornane-2-carboxylic esters, 175; 2-oxoglutaric acid, labeled, 159; polyfluoro-4-hydroxyanilines, 216; rosmarinic acid, 199; unsaturated fatty acids, biodimerization, 195
enzyme mimics, debromohydroxylation of binuclear Cu complex, 89
enzymes, adenosine acylation, 433; alcohol dehydrogenase, optimization of activity, 227; alcohol dehydrogenase, permeability in polyacrylamide, 231; α -chymotrypsin in transesterification, 222; hydroxynitrile lyases from almond and sorghum, 209; pyrethroid alcohol, optical resolution, 151; in reversed micelles, 236; UDP-glucuronosyltransferase, 53; xanthine oxidase (review), 139
ephedrine, resolving agent, 13; from chiral α -silyloxy benzeneacetonitrile, 25
epichlorohydrin, in industrial biocatalysis (review), 63
epoxidation, allyl alcohols, by ω -hydroxylase, 167
epoxy bridge, opening and closure, 405
equilibrium, Ca or Mg cation exchange with zeolite NaA, 374
D-erythronic acid, from D-ribo-hexosulose, 271
D-erythronolactone, from D-ribo-hexosulose, 271
ester hydrolase, for cyclopentanol, 171
esterase, norbornane-2-carboxylic esters, hydrolysis, 175
estimation, chemical property (book), 61
ethanolamines, chiral-, from chiral 2-silyloxy nitriles, 25
ethanol, to hydrocarbons, 78
6 α ,14 α -ethenomorphanes, 405
6 β ,14 β -ethenomorphanes, 405
ethoxycarbonylation, (review), 353
ethylene, poly-, ^{13}C NMR (review), 543
1-(ethylthio)-1,3-butenyne, for 1,3-diynes, 131
exciplex, in donor-acceptor systems, 95
excitation spectrum, C_{70} fullerene, 349
***E-Z* isomerization**, see isomerization
FAB (Fast Atomic Bombardment), see MS
Fast Atomic Bombardment (FAB), see MS
Fast Protein Liquid Chromatography (FPLC), oligodeoxynucleoside phosphorothioates, 325
faujasites, catalyst for hydride transfer in benzylic alcohols, 275
flash vacuum thermolysis (FVT), norbornenylidenemalononic acid, 129
fluazifop, enzymatic synthesis, 185
fluorescence, C_{70} fullerene, 349; donor-acceptor systems, 95
fluorescence, hydrophobic microdomains, poly(ammonium bromides), 384
fluoride-ion-assisted deblocking, silyl-protected RNA precursor, 378
fluorine, in bioorganic chemistry (book), 391
fluoro-4-hydroxyanilines, poly-, biosynthesis, 216
flurbiprofen, enzymatic synthesis, 185
FMN, see riboflavin 5'-(dihydrogen phosphate)
formolysis, diphenylmethyls, 5
(formyloxy)diphenylacetic acid, methanolysis, 283
Fourier-Transform IR (FTIR), see IR
FPLC, see Fast Protein Liquid Chromatography
free-radical polymerization, ethylene, ^{13}C NMR (review), 543
fructose, from glucose by biocatalysis (review), 63
FTIR (Fourier-Transform IR), see IR
fullerene, C_{70} , fluorescence, 349
fulvene, flash vacuum thermolysis, 129
functional groups, (book), 352
functional-groups, in transformations in - (book), 61
2-furaldehyde, 5-(hydroxymethyl)-, for 1,2,4-benzenetriol, 343
FVT, see Flash Vacuum Thermolysis
gasoline, from ethanol, 78
gene-5 protein, shift reagent for -, 124
geometry, 1,2-bis(methoxyimino)cyclobutanes, 1; cyclopropanamine, substituent influence, 317
glass-surface, grafted poly(methyl methacrylate) (thesis), 62
gluconic acid, from D-xyl-5-hexulosonic acid, 111
glucose, for fructose by biocatalysis (review), 63
glucose, 3-oxo-, into ribulose and D-erythronic acid, 271
glucuronosyltransferase, UDP-, inhibitor contg. diphosphate, 53
glutamic acid, ^{13}C -labeled, 159
glutaric acid, 2-oxo-, ^{13}C -labeled, 159
glutinosone, by angular alkoxyacylation (review), 353
glycerol acylates, enzymatic synthesis, 263
glycidyl derivs., in industrial biocatalysis (review), 63
glycidyl methacrylate polymer, ion exchanger (thesis), 480
***N,N*-dibenzyl-glycine**, ethyl ester for serine analogs, 46
glycosidation, β -L-arabinopyranosides, 2-halogenoethyl, 450; direct - with 4-penten-1-ol, 23; sugar 1,2-thio ortho esters by iodonium, 301
group theory, chem. application (book), 97
group-transfer polymerization, NMR (review), 526
guaiol, by angular alkoxyacylation (review), 353
guanines, 9-phenyl-, inhibition of xanthine oxidase (review), 139

- handedness, see chirality
He I and He II photoelectron spectra, see photoelectron spectra
4,6-heptadiyn-3-ol, 131
heptyn-4-en-3-ol, 4-methyl-1-, optical resolution by lipase, 151
herbicides, fluazifop, diclofop: enzymatic synthesis, 185
heterocyclic compounds, Rodd's (book), 59
3-hexosulose, D-ribo-, into ribulose and D-erythronic acid, 271
5-hexulosonic acid, D-xylo-, hydrogenation, 111
high-performance polymers, (review), 481
 α -himachalene, by angular alkoxycarbonylation (review), 353
histamine, (imidazolyl-methionyl)-, 279
HLAD, see horse liver alcohol dehydrogenase
homopolyamides, NMR (review), 516
horse liver alcohol dehydrogenase (HLAD), permeability in polyacrylamide, 231
High-Performance Liquid Chromatography (HPLC), D-ribo-hexosulose into D-ribulose and D-erythronic acid, 271
HPLC, see High-Performance Liquid Chromatography
hydride transfer, benzylic alcohols, 275
hydrocarbons, from ethanol, 78
hydrocyanic acid, for chiral α -hydroxy nitriles, 209
hydrogen abstraction, from soot, 129
1,5 hydrogen shift, for pyrrolo[1,2-a]quinoline, 115
hydrogenation, carbon dioxide, 19
hydrolysis, phosphazenes, controlled -, 27
hydrophobic microdomains, poly(ammonium bromides), fluorescence, 384
 α -hydroxy acids, in industrial biocatalysis (review), 63
 α -hydroxy nitriles, decompn. by hydroxynitrile lyases, 209
3-hydroxy-2-indolones, to indoles, 437
1-hydroxybenzotriazole, in amide bond formation between imidazole rings, 279
hydroxydiphenylacetic acid, formolysis, 5; methanolysis, 283
hydroxyhydroquinone, from carbohydrates, 343
 ω -hydroxylase, epoxidating allyl alcohols, 167
5-(hydroxymethyl)-2-furaldehyde, for 1,2,4-benzenetriol, 343
hypoxanthines, 8-aryl-, inhibition of xanthine oxidase (review), 139
ibuprofen, enzymatic synthesis, 185
idonic acid, from D-xylo-5-hexulosonic acid, 111
imidazole rings, connected by amide-bond-contg. chain, 279
imides (PI), poly-, thermally stable polymers (review), 481
immobilization, alcohol dehydrogenase, 227, 231
INAM, 13
INAP, 13
inclusion science, calixarenes (book), 390
indoles, from 3-hydroxy-2-indolones, 437
industrial biocatalysis, (review), 63
InfraRed, see IR
initial-rate analysis, enantiomeric ratio, detn., 247
inositol, myo-, 92
insecticide, pyrethroid alcohol, optical resolution by lipase, 151
intermicellar exchange, enzymes in reversed micelles, 236
intramolecular contacts, dithiole-2-selenone-4,5-dithiolate, Ni complex, 345
iodonium catalyst, for dinucleotides contg. cytosine, 435; for glycosidation of sugar 1,2-thio ortho esters, 301
ion exchange, Ca or Mg with zeolite NaA, 374; glycidyl methacrylate polymer (thesis), 480
ionization potential, 1,2-bis(methoxyimino)cyclobutanes, 1
irradiation, see photochemistry
IR, carbon dioxide hydrogenation, 19
isocyanato tolylsulfonyl alkenes, geminal -, 402; in steroids, 393
isomerization, 3-hydroxy-2-indolones at reduction, 437; α -oxo oxime ethers, E-Z- in photochemistry, 31
isophthalaldehyde, from debromohydroxylation of binuclear Cu complex, 89
isoquinolines, (book), 351
isotopomers, see labeling
4(5H)-isoxazolone, photochemistry, 31
5-keto-D-gluconic acid, hydrogenation, 111
3-ketoglucose, into ribulose and D-erythronic acid, 271
ketopantoic acid, optical resolution, 155
kinetics, (R)-amino acids from plasmid and D-aminopeptidase, 206; carbodiimides with carboxylic acids, 319; carbon dioxide hydrogenation, 19; cyanohydrins, decompn. by hydroxynitrile lyases, 209; enzymatic synthesis, enantiomeric ratio, 247, 255; enzymes in reversed micelles, 236; polymer networks, theory (review), 507; pyrethroid alcohol, optical resolution, 151
labeling, DNA fragments with ^{15}N , 387; spheroidenes with D, 332
lactic acid, 3-(3,4-dihydroxyphenyl), by enzyme membrane, 199
Langmuir-Blodgett films, non-linear and electro-optical polymers (review), 492
lanthanide phosphonomethyl tetraazacyclododecane, shift reagent, 124
linoleic acid, (bio)dimerization, 195
lipase, acylglycerols, in enzymatic synthesis, 263; for cyclopentanols, 171; pyrethroid alcohol, optical resolution, 151
lipophilic diaza crown ethers, in membrane transport, 265
lithium P-C bond cleavage, in triarylphosphines, 420, 441
living polymerization, (review), 526
long-range electron transfer, donor-acceptor systems, 95
longicyclene, conformation, 470
longifolene, by angular alkoxycarbonylation (review), 353
low-density polyethylene, ^{13}C NMR (review), 543
lyases, hydroxynitrile lyases from almond and sorghum, 209
macrocycles, calix aza crown ethers, 294; 1,4,7,10-tetraazacyclododecane, 124
macrocylic carriers, lipophilic diaza crown ethers in membranes, 265
macrocylic effect, crown ethers in α -chymotrypsin-catalyzed transesterification, 222
magnesium, cation exchange with zeolite NaA, 374
 α -D-mannopyranosides, monosulfated, NMR, 85
Mass Spectrometry, see MS
mechanism, (book), 352; carbodiimides with carboxylic acids, 319; coumaran thermochemistry, 475; enzymatic epoxidation of allyl alcohols, 167; membrane transport, 265; nucleophilic substitution in diphenylmethylys, 5; α -oxo oxime ethers, photochemistry, 31; ping-pong, 151
Meldrum's acid, (dioxane-4,6-dione, 2,2-dimethyl-); norbornenylidene-, flash vacuum thermolysis, 129
membrane transport, via lipophilic diaza crown ethers, 265
mercaptoacetic acid, in amide bond formation between imidazole rings, 279
metal clusters, (book), 98
metal-carbon bond, chem. (book), 97
metathesis polymerization, (review), 526
methacrylate, (co)polymers, NMR (review), 553; glycidyl ester, polymer, ion exchange (thesis), 480
methanolysis, α -substituents of diphenylmethylys, 283
methionylhistamine, in amide bond formation between imidazole rings, 279
methoxycarbonylation, (review), 353
methoxyimines, photochemistry, 31
methylene acetal, dinucleotides contg. cytosine, 435
micelles, enzymes in reversed -, 236
micellization, poly(diallylammonium bromides), 384
microdomains, poly(ammonium bromides), fluorescence, 384
microemulsions, enzymes in reversed micelles, 236
MM2, see molecular mechanics calculation
MNDO, see quantum chemistry
modhephen, by angular alkoxycarbonylation (review), 353
molecular crystals, (book), 136
molecular mechanics calculation, on longicyclene, conformation, 470
molecular shape, effect in ethanol to hydrocarbons, 78
molybdenum-nickel, catalyst in hydrogenation of carbon dioxide, 19
monooxygenase, epoxidating allyl alcohols, 167
morphinans, etheno(iso)-, 405
MS, di- and tetrahydrospheroidenes, 459; FAB -, calix aza crown ether complexes, 294; glutamic acid, labeled, 159; 2-oxoglutaric acid, labeled, 159; spheroidenes, D-labeled, 332
myo-inositol, 92
N alkylation, benzotriazole and 1,2,4-triazole, 369
NaA zeolite, Ca or Mg cation exchange, 374
NAD(H), regeneration, 227
naphthalene chromophore, in donor-acceptor systems, 95
naphthalene, 1,2,3,4-tetrahydro-, bacterial hydroxylation, 189
naphthoquinones, for vitamin K derivs., 99
naphthoylpalladium, complex, 133
naproxen, enzymatic synthesis, 185
natural products, by angular alkoxycarbonylation (review), 353; stereo-selective synthesis (book), 29
networks, polymer -, (review), 507
nickel, 1,3-dithiole-2-selenone-4,5-dithiolate, crystal structure, 345
nickel-molybdenum, catalyst in hydrogenation of carbon dioxide, 19
NicotinAmide Dinucleotide, see NAD
nitriles, for sec-amines, 25
nitrilotriacetate, Ca or Mg cation exchange with zeolite NaA, 374
nitro compounds, (book), 60
4-nitroanilides, amino acid derivs., from POCl_3 , 347
nitrogen-oxygen homolysis, 31
4-nitrophenyl, protecting oligodeoxynucleoside phosphorothioates, 325
NMR, ^1H , α -D-mannopyranosides, 85; di- and tetrahydrospheroidenes, 459; etheno(iso)morphinans, 405; glutamic acid, labeled, 159; D-ribo-hexosulose into D-ribulose and D-erythronic acid, 271; lanthanide phosphonomethyl tetraazacyclododecane, shift reagent, 124; longicyclene, 470; (meth)acrylate (co)polymers, NMR (review), 553; 2-oxoglutaric acid, labeled, 159; polyamides (review), 516; pyrrolo[1,2-a]quinoline, NOE, 115; P-C bond cleavage in triarylphosphines, 441; spheroidenes, D-labeled, 332
NMR, ^{13}C , di- and tetrahydrospheroidenes, 459; etheno(iso)morphinans, 405; glutamic acid, labeled, 159; α -D-mannopyranosides, 85; (meth)acrylate (co)polymers, NMR (review), 553; 2-oxoglutaric acid, labeled, 159; polyamides (review), 516; polyethylene (review), 543
NMR, ^{15}N , ^{15}N -labeled DNA fragments, 387; polyamides (review), 516
NMR, ^{19}F , polyfluoro-4-hydroxyanilines, 216
NMR, ^{29}Si , silyl-protected RNA precursor, 378
NMR, ^{31}P , phosphazenes, controlled hydrolysis, 27
NOE (Nuclear Overhauser Effect), see NMR
non-linear polymers, (review), 492
norbornane-2-carboxylic esters, enzymatic resolution, 175
norbornenylidene-Meldrum's acid, flash vacuum thermolysis, 129
(R)-norleucine, from plasmid and D-aminopeptidase, 206
(R)-norvaline, from plasmid and D-aminopeptidase, 206
nucleopeptides, regioselective synthesis, 433
nucleophilic substitution, diphenylmethylys, 5; methanolysis of α -substituents in diphenylmethylys, 283
nucleotides, di-, contg. cytosine, 435; oligodeoxy- phosphorothioates, 325; UDP-glucuronosyltransferase, 53
occidentalol, by angular alkoxycarbonylation (review), 353
olefins, metathesis and polymerization catalysts (book), 390
oligodeoxynucleoside phosphorothioates, from phenylacetyl disulfide, 325
oligomerization, unsaturated fatty acids, 195
one-substrate/one-product, enzymes in reversed micelles, 236
opium alkaloids, thebaine deriv., 405
optical activity, see chirality
optical polymers, electro-, (review), 492
optical resolution, see also chirality; see also biocatalysis, issue 5 (1991), pages 139-264; 2-aryl- and 2-aryloxypropanoic acids, 185; methods, applicability, 255; norbornane-2-carboxylic esters, 175; pantoyl lactone, 155; pyrethroid alcohol, 151
organic synthesis, (book), 29
organo-, e.g. organotin, see tin, organo-
organometallic chem., (book), 97
organotransition metal chemistry, (book), 137
osmium, triazole complexes (thesis), 138

- 9-oxa-1,5-distibabicyclo[3.3.1]nonane**, crystal structure, 290
1,3,5-oxadiazinium salts, 75
oxazoline, geminal isocyano tolylsulfonyl alkenes, intermediate, 402
oxidative debromohydroxylation, binuclear Cu complex, 89
oxime ethers, α -oxo-, photochemistry, 31
oximes, di-, Co complex as catalyst in carbenoid cyclopropanation (review), 304
oxiranes, 2-(alkoxymethyl)-, enzymatic synthesis, 167
 α -oxo oxime ethers, photochemistry, 31
17-oxo steroids, 393
3-oxoglucose, into ribulose and D-erythronic acid, 271
2-oxoglutaric acid, ^{13}C -labeled, 159
oxygen, in debromohydroxylation of binuclear Cu complex, 89
oxynitrilase, from almond and sorghum, 209
packing motive, dithiole-2-selenone-4,5-dithiolate, Ni complex, 345
palladium, benzoyl complex, 133; 2,6-bis[(dimethylamino)methyl]pyridine complexes, carbonylation, X-ray, 133; boride, catalyst in D-xylo-5-hexulosonic acid hydrogenation, 111; PdMePh 2,2'-bipyridine, crystal structure, 477; reductive elimination from diorganoPd(IV) complexes, 477
palmitoyloxybutylsulfonate, 3,4-bis(-, myo)-inositol, 92
pantoyl lactone, optical resolution, 155
penicillins, in industrial biocatalysis (review), 63
pentafulvene, flash vacuum thermolysis, 129
4-penten-1-ol, for glycosidation, 23
2-pentulose, D-erythro-, D-ribulose, 271
permeability, alcohol dehydrogenase in polyacrylamide, 231
peroxydisulfate alkylation, for plastoquinone derivs., 104; for vitamin K derivs., 99
PES, see photoelectron spectra
photoelectron spectra (PES), 1,2-bis(methoxyimino)cyclobutanes, 1
phenanthrenes, angular alkoxycarbonylation (review), 353
phenol, 2-vinyl-, from coumaran thermochemistry, 475
phenols, polyfluoro-4-amino-, biosynthesis, 216
phenylacetyl disulfide, for oligodeoxynucleoside phosphorothioates, 325
phosphatidyl-myoinositol, 92
phosphazenes, controlled hydrolysis, 27
phosphines, triphenyl-, cleavage, 420
phosphite triesters, dinucleotides contg. cytosine, 435; in oligodeoxynucleoside phosphorothioates, 325
phosphitylation, in RNA solid-support synthesis, 378
phospho acceptor site, serine analogs, 46
phosphonomethyl tetraazacyclododecane, lanthanide shift reagent, 124
phosphoramidites, ribonucleoside - in RNA solid-support synthesis, 378
phosphoric acid, cyclic -, resolving agent, 13
phosphorothioates, oligodeoxynucleoside -, from phenylacetyl disulfide, 325
phosphorothioates, for inhibited UDP-glucuronosyltransferase, 53
phosphorus, low-coordination chemistry (thesis), 62
phosphorus oxychloride, for amino acid 4-nitroanilides, 347
phosphorus-carbon bond cleavage, triarylphosphines, 441
photo-induced electron injection, C_{70} fullerene, 349
photochemistry, α -oxo oxime ethers, 31
photolysis, see photochemistry
pinacolone, for geminal isocyano tolylsulfonyl alkenes, 402
ping-pong mechanism, pyrethroid alcohol, optical resolution, 151
pisiferic acid, by angular alkoxycarbonylation (review), 353
plasmid-based synthesis, (R)-amino acids, 206
plastoquinone, derivs., 104
poled polymers, non-linear and electro-optical (review), 492
polyacrylamide, alcohol dehydrogenase permeability, 231
polyallylammonium bromides, hydrophobic microdomains, fluorescence, 384
polyamides, NMR (review), 516
polydentate ligands, in amide bond formation between imidazole rings, 279
polyethylene, ^{13}C NMR (review), 543
polyfluoro-4-hydroxyanilines, biosynthesis, 216
poly(glycidyl methacrylate), ion exchanger (thesis), 480
polymer-supported synthesis, see solid-support synthesis
polymers, reviews, see issue 12, pages 481-559; networks (review), 507; non-linear and electro-optical (review), 492; synthesis (review), 526; thermally stable (review), 481
poly(methyl methacrylate), glass-surface-grafted (thesis), 62
polynuclear transition metal compounds, (thesis), 62
polysoap, poly(diallylammonium bromides), 384
pregnane, isocyano(tolylsulfonyl)methylene precursors, 393
prezizaene, by angular alkoxycarbonylation (review), 353
propanoic acids, 2-aryl- and 2-aryloxy-, enzymatic synthesis, 185
Protein Kinase C (PKC), contg. serine analogs, 46
protein-DNA interaction, 387
pyrazole, coordination chemistry (thesis), 480
pyrene, fluorescence probe, 384
pyrethroid alcohol, optical resolution by lipase, 151
pyridine, bis-, binuclear Cu complex, 89
3-[(2-pyridyl)methyl]-3-hydroxy-2-indolones, to indoles, 437
pyrolysis, see thermochemistry
pyrroles, (book), 351
pyrrolo[1,2-a]quinoline, cycloreversion, 115
pyrromethenium, 41
QSAR, see Quantitative Structure-Activity Relationship
Quantitative Structure-Activity Relationship (QSAR), inhibition of xanthine oxidase (review), 139
quantum chemistry, 1,2-bis(methoxyimino)cyclobutanes, 1; phenylphosphines, 420
quinoxalones, poly-, thermally stable polymers (review), 481
radical ring-opening polymerization, NMR (review), 526
reaction mechanism, see mechanism
rearrangement, see isomerization
redox enzyme, alcohol dehydrogenase, optimization of activity, 227
reductive cleavage, triphenylphosphines, 420
reductive cyanation, geminal isocyano tolylsulfonyl alkenes, 402
regiochemistry, see stereochemistry
regioselective synthesis, etheno(iso)morphinans, 405; nucleopeptides, 433
resolution, relationship to structure, 13
resolving agents, ephedrine, cyclic phosphoric acid, 13
reversed micelles, enzymes in -, 236
reviews, see also book reviews; industrial biocatalysis, 63; chiral catalysts for carbenoid cyclopropanation, 304; (meth)acrylate (co)polymers, NMR, 553; non-linear and electro-optical polymers, 492; polyamides, NMR, 516; polyethylene, ^{13}C NMR, 543; polymer networks, 507; polymer synthesis, 526; Quantitative Structure-Activity Relationship, 139; thermally stable polymers, 481
rhodium, carbenoid cyclopropanation, chiral catalyst (review), 304
riboflavin 5'-(dihydrogen phosphate), dehydrogenase depending on -, 155
ribonucleoside phosphoramidites, in RNA solid-support synthesis, 378
D-ribulose, from D-ribo-hexosulose, 271
rigid pyrromethenium, 41
ring closure, to etheno(iso)morphinans, 405
ribonucleic acids (RNA), solid-support synthesis, 378
RNA, see ribonucleic acids
Rodd's, chemistry of carbon compounds. IV heterocyclic compounds (book), 59
Roedel mechanism, polyethylene, ^{13}C NMR (review), 543
rosmarinic acid, enzymatic synthesis, 199
ruthenium, triazole complexes (thesis), 138
salicylaldehyde, Cu complex as catalyst in carbenoid cyclopropanation (review), 304
selenium, dithiole-2-selenone-4,5-dithiolate, Ni complex, crystal structure, 345
semicorrin/bis-oxazoline, Cu complex as catalyst in carbenoid cyclopropanation (review), 304
sequence analysis, polyamides, NMR (review), 516
serine aldehyde, 46
serine, analogs, 46
(+)-sesbanimide A, 414
sesquiterpenoids, by angular alkoxycarbonylation (review), 353; longicyclene, conformation, 470
shift reagent, lanthanide phosphonomethyl tetraazacyclododecane, 124
siccain, by angular alkoxycarbonylation (review), 353
silicalite-1, for ethanol to hydrocarbons, 78
silicon, low-coordination chemistry (thesis), 62
silyl protection, in RNA solid-support synthesis, 378
 α -(silyloxy)benzeneacetoneitrile, chiral -, for chiral sec-amines, 25
skatylpyridine, from 3-hydroxy-2-indolones, 437
sodium P-C bond cleavage, in triarylphosphines, 420, 441
solid phase, see solid support
solid-support synthesis, oligodeoxynucleoside phosphorothioates, 325; RNA, 378; deoxynucleotides, 387
solvent effects, donor-acceptor systems, 95; polyamides, NMR (review), 516
soot, hydrogen abstraction, 129
sorghum, hydroxynitrile lyases, 209
spheroidenes, D-labeled, 332; di- and tetrahydro-, 459
spiniferin, by angular alkoxycarbonylation (review), 353
stereochemistry, (book), 352; pyrrolo[1,2-a]quinoline, 115; (+)-sesbanimide A, 414
stereoselective synthesis, natural products (book), 29
stereospecificity, see chirality; see also biocatalysis, issue 5 (1991), pages 139-264
steric energy calcs., pyrrolo[1,2-a]quinoline, 115
steroids, 17-(isocyano(tolylsulfonyl)methylene) -, 393
stibacyclooctane, 1,5-di-, crystal structure, 290
structures, see also crystal structure; databases of chemical - (book), 136
styrene, dimer from 1-phenylethanol, 275; (meth)acrylate copolymers, NMR (review), 553
substitution, alkoxidechlorination of aryl chlorides, 299; electrophilic aromatic - (book), 59
subtilisin, adenosine acylation, 433
suicide precursor, serine analogs, 46
sulfurization, for oligodeoxynucleoside phosphorothioates, 325
superconductivity, dithiole-2-selenone-4,5-dithiolate, Ni complex, 345
supercritical water, in 1,2,4-benzenetriol from D-fructose, 343
surface chemistry, (book), 137
susceptibility tensors, non-linear and electro-optical polymers (review), 492
synthesis, organic -, (book), 29
terpenoids, by angular alkoxycarbonylation (review), 353; longicyclene, conformation, 470
terpolyamides, NMR (review), 516
tert-amino effect, pyrrolo[1,2-a]quinoline, 115
1,4,7,10-tetraazacyclododecane, lanthanide phosphonomethyl - shift reagent, 124
tetracyclic sesquiterpene, longicyclene, conformation, 470
tetralin, bacterial hydroxylation, 189
thebaine, deriv., synth., 405
theory, enantioselective enzymatic catalysis, 247, 255; enzymes in reversed micelles, 236; non-linear and electro-optical polymers (review), 492; polymer networks (review), 507
thermally stable polymers, (review), 481
thermochemistry, 1,2,4-benzenetriol from D-fructose, 343; carbon dioxide hydrogenation, 19; coumaran, 475
theses, cyclophanes, 138; glass-surface-grafted poly(methyl methacrylate), 62; glycidyl methacrylate polymer, ion exchanger, 480; polynuclear transition metal compounds with inorganic anions as bridging group, 62; pyrazole coordination chemistry, 480; Ru and Os triazole complexes (thesis), 138; Si and P low-coordination chemistry, 62; N-vinylimidazole polymerization along poly(methacrylic acid), 62
1,2-thio ortho sugar esters, glycosidation by iodonium, 301
thiocyanate alcoholysis, β -L-arabinopyranosides, 2-halogenoethyl, 450
threonine, analogs, 46
through-bond interaction, 1,2-bis(methoxyimino)cyclobutanes, 1
through-space interaction, 1,2-bis(methoxyimino)cyclobutanes, 1

- titanium**, $\text{TiCl}_3(\text{Oipr})$, Lewis acid catalyst, 414; Ti-cyclopentadienyl, oxidative methylation, 57
- tolylsulfonyl isocyano alkenes, geminal** -, 402; steroids, 393
- TosMIC**, [(4-tolyl)sulfonyl]methyl isocyanide, see tolylsulfonyl isocyano tosyl, see tolylsulfonyl
- toxicity**, pyrromethenium, 41
- transesterification**, α -chymotrypsin-catalyzed, acceleration by crown ethers, 222; acylglycerols, enzymatic -, 263; enantioselective - by lipase, 151
- transferase**, UDP-glucuronosyl-, 53
- transformations**, in functional-group preparations (book), 61
- transimination**, nitriles into *sec*-amines, 25
- transition metal compounds**, polynuclear - (thesis), 62; in synthesis (book), 137
- transition state**, cyclic -, polyethylene, ^{13}C NMR (review), 543
- transport rate**, in membranes via crown ethers, 265
- triarylphosphines**, reductive P-C bond cleavage, 441
- 1,3,5-triazinium salts**, 75
- 1,2,4-triazole**, N alkylation, 369
- triazole**, Ru and Os complexes (thesis), 138
- triflation**, for *myo*-inositol, 92
- trifluoroethoxylation**, aryl chlorides, 299
- trifluoromethanesulfonylation**, for *myo*-inositol, 92
- 1,3,5-triynes**, unstable, 131
- UDP** = uridine 5'-diphosphate
- UDP-glucuronosyltransferase**, inhibitor contg. diphosphate, 53
- ultrasound**, to nucleopeptides, 433
- ultraviolet**, see UV
- unsaturated fatty acids**, (bio)dimerization, 195
- ureas, acyl-**, from carbodiimides with carboxylic acids, 319
- uridine 5'-diphosphate**, see UDP
- UV**, 1,2-bis(methoxyimino)cyclobutanes, 1; C_{70} fullerene, 349; di- and tetrahydrospheroidenes, 459; α -oxo oxime ethers, 31; pyrromethenium, 41
- vernolepin**, by angular alkoxycarbonylation (review), 353
- vetiselenene**, by angular alkoxycarbonylation (review), 353
- N-vinylimidazole**, polymerization along poly(methacrylic acid) (thesis), 62
- 2-vinylphenol**, from coumaran thermochemistry, 475
- vinylphosphine**, P-C bond cleavage in triarylphosphines, 441
- vitamin C**, from idonic acid, 111
- vitamin K**, derivs., 99
- X-ray analysis**, see crystal structure
- X-ray spectroscopy**, zeolite catalysts for ethanol to hydrocarbons, 78
- xanthine oxidase**, inhibition (review), 139
- D-(+)-xylose**, for (+)-sesbanimide A, 414
- zeolites**, for ethanol to hydrocarbons, 78; faujasites as catalyst for hydride transfer in benzylic alcohols, 275; NaA, Ca or Mg cation exchange, 374
- zinc oxide**, support for hydrogenation of carbon dioxide, 19
- zinc**, dimethyl-, cyclopentadienyltitanum oxidative methylation, 57
- ZSM-5**, for ethanol to hydrocarbons, 78

